

RECEIVED  
CENTRAL FAX CENTER

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

OCT 27 2004

I hereby certify that this paper is being facsimile transmitted to the PTO on the date shown below. #703-872-9306

Date: 10/27/04

Signed: 

In re application of

SCARPA et al

Serial No. 09/394,289

Filed: 09/10/99

)  
)  
)  
)  
)  
)  
)

Examiner: KIM, C.

Art Unit: 3752

Docket No.: N800/ST-108

Title: PORTABLE CONVERGENT SPRAY GUN CAPABLE OF BEING HAND-HELD

Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

## INTERVIEW SUMMARY

Dear Sir:

The purpose of this document is to memorialize the telephonic interview that the attorney of record had with Examiner Kim on October 15, 2004. Applicant's attorney agreed to accept the Examiner's recommendation to limit the location of the flats of the fluid tip relative to the outer tube. Inasmuch as this limitation does not materially affect the scope of the claim applicant, in order to expedite the prosecution of this patent application acceded to this amendment. The Examiner agreed to make the changes by an examiner's amendment.


In addition, applicant agreed to withdraw the newly added claims 8-10 in difference to a continuing application that applicant plans to file in the future.

Applicant's attorney wishes to express gratitude to the Examiner for the courtesy extended on both the interview in person and the telephonic interview and particularly to the recommendation offered.

Respectively submitted,

SCARPA ET AL

By



Norman Friedland  
Attorney of Record

2855 PGA BOULEVARD  
PALM BEACH GARDENS, FL 33410  
(561) 626-4111  
Date: October 27, 2004